

-2"-6-7"-

41,-


GENERAL NOTES		LIST OF DRAWINGS	CONWAY-HALL
SUMMARY OF WORK 1 THESE DRAWINGS ARE FOR FILING WITH THE VILLAGE OF COLD SPRING DEPARTMENT OF BUILDINGS AND FOR BIDDING.	REGULATORY REQUIREMENTS G 1 ALL WORK SHALL BE EXECUTED TO CONFORM WITH THE "GENERAL CONDITIONS OF THE CONTRACT FOR CONSTRUCTION", AMERICAN	A.1 LOCATION PLAN, LIST OF DRAWINGS, BUILDING DEPARTMENT NOTES, FIRST FLOOR DEMOLITION PLAN	RESIDENCE
COORDINATION 1 THE CONTRACTOR SHALL BE FULLY RESPONSIBLE FOR ALL MEANS METHODS AND PROCUREMENT OF CONSTRUCTION. THE ARCHITECT	INSTITUTE OF ARCHITECTS, DOCUMENT NO. A-201, LATEST EDITION WHICH IS HEREBY MADE A PART OF THIS SPECIFICATION AND THE CONTRACT DOCUMENTS TO THE SAME EXTENT AS IF HEREIN WRITTEN	A.1B EXISTING/DEMOLITION ELEVATIONS	18 MORRIS AVENUE COLD SPRING, NY 10516 TAX MAP 48.8-4-20
SHALL ONLY MAKE OBSERVATIONS AND CHECK SHOP DRAWINGS FOR CONFORMANCE TO DESIGN INTENT.	OUT IN FULL. COPIES ARE ON FILE FOR EXAMINATION AT THE OFFICE OF THE ARCHITECT OR ARE AVAILABLE UPON REQUEST FROM THE AIA.	A.2 PROPOSED CONSTRUCTION PLANS: FIRST FLOOR PLAN, ROOF PLAN, ELECTRICAL AND LIGHTING PLAN	
2 THE CONTRACTOR SHALL BE REQUIRED TO VISIT THE SITE, VERIFY ALL DIMENSIONS AND CONDITIONS AND MAKE NOTE OF ANY DISCREPANCIES BECOME FAMILIAR WITH THE NATURE AND SCOPE OF WORK PRIOR TO PROCEEDING WITH CONSTRUCTION WORK AND NOTIFY THE ARCHITECT	5, STATE AND LOCAL GOVERNMENTAL REGULATIONS, INCLUDING, BUT NOT LIMITED TO: THE CODE OF THE VILLAGE OF COLD SPRING, VILLAGE OF COLD SPRING ZONING REGULATIONS, AND HISTORIC DISTRICT REVIEW	A.3 PROPOSED ELEVATION, WINDOW SCHEDULE, LIGHTING FIXTURE SCHEDULE, INTERIOR AND EXTERIOR DOOR AND HARDWARE SCHEDULES, PLUMBING FIXTURE SCHEDULE, EXTERIOR AND INTERIOR FINISHES AND TRIM SPECIFICATIONS	
AND OWNER OF ANY PROBLEMS PRIOR TO CONSTRUCTION. 3 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AFTER DEMOLITION AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES IN THE CONTRAC DOCUMENTS. IF CONCEALED CONDITIONS ARE ENCOUNTERED AT THE	BOARD GUIDELINES, 2015 IECC INTERNATIONAL ENERGY CONSERVATION CODE, 2015 RESIDENTIAL CODE OF NEW YORK STATE AND ENERGY CONSTRUCTION CODE OF NEW YORK STATE. THE CONTRACTOR SHALL BRING ANY DISCREPANCIES BETWEEN CODE REQUIREMENTS AND THE CONTRACT DOCUMENTS TO THE ATTENTION OF THE ARCHITECT.	LEGEND	
SITE WHICH DIFFER MATERIALLY OR DIMENSIONALLY FROM THOSE INDICATED ON THE CONTRACT DOCUMENTS, NOTICE BY THE CONTRACTOR SHALL BE GIVEN TO THE ARCHITECT. THE CONTRACTOR SHALL BRING ERRORS AND OMISSIONS WHICH MAY OCCUR IN THE	3 THIS WORK SHALL REQUIRE FILING WITH VILLAGE OF COLD SPRING DEPARTMENT OF BUILDINGS. CONTRACTOR SHALL PROVIDE PLUMBING AND ELECTRICAL SIGN-OFFS TO ARCHITECT.	EXISTING WALL TO REMAIN	
CONTRACT DOCUMENTS TO THE ATTENTION OF THE ARCHITECT AND INSTRUCTION SHALL BE OBTAINED BY THE CONTRACTOR BEFORE PROCEEDING WITH THE WORK. THE CONTRACTOR SHALL BE	4 PRIOR TO COMMENCEMENT OF WORK, THE CONTRACTOR SHALL OBTAIN ALL PERMITS NECESSARY TO COMMENCE WORK.	EZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	REVISION:
RESPONSIBLE FOR THE RESULTS OF ANY ERRORS, DISCREPANCIES, OF	5 THE CONTRACTOR MUST ONLY USE LICENSED SUBCONTRACTORS WHERE	TO BE REMOVED OR REPLACED	5/14/18 DESIGN DEVELOPMENT 2/28/24 FOR BID AND APPROVALS
 FAILED TO NOTIFY THE ARCHITECT BEFORE CONSTRUCTION/ FABRICATION GF THE WORK. 4 CONTRACTOR SHALL PROVIDE SUBMITTALS FOR REVIEW BY ARCHITECT AND/OR ENGINEERS, FOR ALL INSTALLED ITEMS. THE SUBMITTALS 	6 ALL PLUMBING AND ELECTRICAL WORK SHALL BE PERFORMED BY LICENSED CONTRACTORS AND ALL REQUIRED PERMITS AND CERTIFICATIONS MUST BE OBTAINED.		NEW MUDROOM AND GARAGE RENOVATION
SHALL BE IN THE FORM OF: SHOP DRAWINGS FOR SYSTEMS AND ASSEMBLIES, MANUFACTURER'S CATALOG CUTS FOR MANUFACTURED ITEMS SUCH AS LIGHTING, WINDOWS, HARDWARE, SAMPLES OF ALL FINISH MATERIALS SUCH AS FLOORING, ROOFING, SIDING, STONE, ETC.	7 THE CONTRACTOR SHALL HOLD HARMLESS THE OWNER AND THE ARCHITECT FROM AND AGAINST ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES ARISING OUT OF RESULTING FROM THE PERFORMANCE OF THE WORK DONE BY THE CONTRACTOR.		
5 THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING AND PROVIDING ALL NEW MATERIALS, LABOR, EQUIPMENT AND SERVICES	8 SMOKE AND CARBON MONOXIDE DETECTORS SHALL BE INSTALLED AS PER CODE.		
6 THE CONTRACTOR SHALL ASSUME RESPONSIBILITY FOR ALL OTHER COSTS NOT SPECIFICALLY MENTIONED BY WHICH WOULD NORMALLY BE			
INCURRED DURING THE COURSE OF CONSTRUCTION WHICH ARE REASONABLY INFERRED AND WOULD BE NECESSARY TO COMPLETE THE ARCHITECT'S DRAWINGS.	10 CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA: GROUND SNOW LOAD: 30 Pg, WIND SPEED MPH: 90V3s, SEISMIC DESIGN CATEGORY: C, SUBJECT TO DAMAGE FROM WEATHERING: SEVERE, FROTST LINE DEPTH: 42", TERMITE: MODERATE TO HEAVY, ICE BARRIER UNDERLAYMENT REQUIRED,		
7 THE CONTRACTOR SHALL INCLUDE IN THEIR BID, THE REMOVAL OF DEBRIS AND CLEANING AFTER ALL TRADES. THE JOB SITE SHALL BE BROOM CLEAN AT THE END OF EACH WORKING DAY.	FLOOD HAZARDS: NFIP 2013.11 CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA: GROUND SNOW LOAD: 30		
 8 UPON THE AWARD OF THE CONTRACT, THE CONTRACTOR SHALL SUBM A DETAILED WORK SCHEDULE BY EACH TRADE. 9 THE CONTRACTOR SHALL MAINTAIN A COMPLETE AND UP-TO-DATE SE 	TERMITE: MODERATE TO HEAVY, ICE BARRIER UNDERLAYMENT REQUIRED,		
OF CONTRACTOR SHALL MAINTAIN A COMPLETE AND OP-TO-DATE SE	12 SEALING OF ALL NEW DUCTS, AIR HANDLERS, FILTER BOXES AND BUILDING CAVITIES USED AS DUCTS: DUCT TIGHTNESS SHALL BE		
	VERIFIED BY EITHER OF THE FOLLOWING: 1. POST CONSTRUCTION TEST LEAKAGE TO THE OUTDOORS SHALL BE LESS THAN 8CFM PER 100 SF CONDITIONED FLOOR AREA. TOTAL DUCT LEAKAGE SHALL BE LESS THAN 12 CFM, OR 2. ROUGH-IN TEST TOTAL DUCT LEAKAGE SHALL BE		
	LESS THAN 6 CFM WITH THE AIR HANDLER INSTALLED. DUCT LEAKAGE TEST SHALL BE CONDUCTED BY A QUALIFIED PERSON.		
	13 LEAD PAINT: THE CONTRACTOR SHALL FOLLOW LEAD SAFE RENOVATION, REPAIR AND PAINTING GUIDELINES AS SET BY THE EPA, NEW YORK STATE AND PUTNAM COUNTY. THE CONTRACTOR SHALL USE AN EPA LEAD-CERTIFIED CONTRACTOR FOR LEAD SAFE PRACTICES IN RENOVATION, REPAIR AND PAINTING.		
	QUALITY CONTROL 1 ALL WORK SHALL MEET OR EXCEED MATERIAL AND PERFORMANCE STANDARDS AS PROMULGATED BY NFPA, ASTM, ANSI OR FEDERAL SPECIFICATION OR OTHER PERTINENT TRADE AND TESTING		
	ORGANIZATIONS, AS APPLICABLE.2THE CONTRACTOR SHALL GUARANTEE ALL WORK DONE UNDER THEIR SUPERVISION AND CONTROL FOR ONE YEAR FROM THE DATE OF SUBSTANTIAL COMPLETION ANY REPAIRS AND/ OR REPLACEMENTS		
	REQUIRED DURING THE GUARANTEE PERIOD, CAUSED BY FAULTY WORKMANSHIP OR DEFECTIVE MATERIAL AND DEVICES, SHALL BE DONE/ SUPPLIED AT NO ADDITIONAL COST TO THE OWNER.		
	3 ALL INSTALLATIONS SHALL BE IN FULL AND STRICT ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS AND RECOMMENDATIONS.		
	 4 ALL PRICES SHALL INCLUDE COME BACK TIME TO MEET THE REQUIREMENTS OF THE PUNCH LIST. 5 THE CONTRACTOR SHALL MAINTAIN THEIR PEMISES CLEAN AND FREE OF 		NOT FOR
	DEBRIS. ALL EQUIPMENT, GLAZING, FLOORS, ETC. SHALL BE LEFT CLEAN AND READY FOR OCCUPANCY UPON COMPLETION OF THE		CONSTRUCTION
	PROJECT.		SEAL:
-			MADELEINE SANCHEZ AIA ARCHITECT
			534 EAST MOUNTAIN ROAD NORTH COLD SPRING NY 10516 TEL 845.265.3073 FAX 845.265.30342 CELL 917.767.9156 madeleine@madeleinesanchezarchitect.com
			TITLE: FIRST FLOOR DEMOLITION PLAN
			DRAWN BY: FS SHEET:

A.1


DATE:


08 JAN 2024

SCALE: AS NOTED





	CONWAY-HALL RESIDENCE 18 MORRIS AVENUE COLD SPRING, NY 10516 TAX MAP 48.8-4-20		
REVIS	ION:		
		DESIGN DEVELOPMENT FOR BID AND APPROVAI NEW MUDROOM AND GARAGE RENOVATION	_S
		NOT FOR	
	m	ISTRUCTIO	
	AST MOUNTAI L 845.265.3073 madeleine	EINE SANCHEZ A ARCHITECT N ROAD NORTH COLD SPRIN FAX 845.265.30342 CELL 9 e@madeleinesanchezarchitect.com	NG NY 10516 17.767.9156 n
DRAW DATE: SCALE		JAN 2024 NOTED	sheet: A.1B





LEGEND	F
	EXISTING WALL TO REMAIN
	NEW WALL
ELECTRI	CAL LEGEND
E	EXISTING TO REMAIN
	EXISTING TO BE REMOVED
Ν	NEW
ф	DUPLEX OUTLET
†	QUAD OUTLET
∳GFI	GFI OUTLET
ф	SWITCHED OUTLET
\$	LIGHT SWITCH
\$3	3-WAY SWITCH
\$D	DIMMER SWITCH
\bigcirc	RECESSED DOWNLIGHT
P	WALL SCONCE
F	CEILING FAN
SD	HARDWIRED SMOKE DETECTOR
(D-CO	HARDWIRED COMBO SMOKE-CO2 DETECTOR
ç	CABLE TV OUTLET





PROPOSED NORTH ELEVATION (1) SCALE: 1/4" = 1'-0"

PHASE TWO

WINDOW SCHEDULE (2/8/24)

2

SCALE: 1/4" = 1'-0"

WINDOWS TO BE MARVIN ULTIMATE CLAD SERIES, DOUBLE HUNG WINDOWS TO BE ULTIMATE DOUBLE HUNG NEXT GENERATION CONFIGURATION AS PER DWGS. LOW E ARGON GLASS EXTERIOR CLAD COLOR: EBONY INTERIOR: PRIMED PINE

HARD	HARDWARE: MATTE BLACK FINISH, FOLDING HANDLES FOR AWNINGS, L				
SCREE	SCREENS: FULL INSECT SCREEN WITH CHARCOAL FIBERGLASS MESH				
TAG	QTY	LOCATION	TYPE	MODEL NO.	
PHASE TWO					
J	1	BATHROOM	DOUBLE HUNG	CUDH-NG2014	
Κ	1	MUDROOM	AWNING	CUAWN4820	
DOOR SCHEDULE (2/8/24)					
PHASE TWO					
TAC				NODEL NO	

TAG QTY LOCATION MANUFACTURER MODEL NO. MUDROOM CLOSET SIMPSON 49900 OWNER TO SUPPLY HARDWARE, CONTRACTOR TO INSTALL

LIGHTING & FIXTURES SCHEDULE

OWNER TO PURCHASE DECORATIVE FIXTURES & FANS ONLY, CONTRACTOR TO INSTALL. MUDROOM PHASE TWO

ITEM	QTY	TYPE	LOCATION	
А	6	RECESSED DOWNLIGHT	MUDROOM, BATHROOM	
С	1	WALL SCONCE	BATHROOM	

PLUMBING FIXTURE SCHEDULE

OWNER TO PROVIDE, CONTRACTOR TO INSTALL.

BATHROOM PHASE 2				
ITEM	MANUFACTURER	TYPE	М	
SINK				
FAUCET				
TOILET				
SHOWER BASE				
SHOWER CONTROLS				
SHOWER HEAD				

FINISHES SCHEDULE AND SPECIFICATIONS

PHASE TWO

ROOM	FLOOR E	
MUDROOM	OWNER TO SUPPLY, F CONTRACTOR TO INSTALL F	
EXTERIOR ITEM		
ROOF	MATCH EXISTING ASPHALT SHINGLES	
SIDING	MATCH EXISTING WOOD SHINGLES	
TRIM	MATCH EXISTING WOOD WINDOW & DOOR TR	
METAL FLASHINGS	MATCH EXISTING	
GUTTERS	MATCH EXISTING	

